

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	"6272465".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:11
L6	2	"6272485".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:20
L7	4	"6717589".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:20
L9	23	(modal non-modal) same (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:39
L10	0	(modal) near5 (region) same (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:40
L11	4	(modal) near5 (region) same (cursor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:42
L12	0	(modal) same (region) same (cursor) same (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:42
L13	45	(region) same (cursor) same (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:08
L14	0	(select\$5) same (without) same (releas\$5) same (mouse) same (cursor) same (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:09
L15	108	(select\$5) same (without) same (releas\$5) same (mouse) same (cursor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:51
L16	2	08/988347	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 09:58

L17	0	(context) near4 (sensitive) near4 (hyperitem hyperlink hypertext)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:00
L18	0	(context) same(sensitive) same (hyperitem hyperlink hypertext)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:01
L19	1871	(context) same (hyperitem hyperlink hypertext)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:02
L20	324	(context) adj (hyperitem hyperlink hypertext)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:06
L21	2	"6421733".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:07
S1	2	"6134588".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:23
S2	2	"6321267".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 10:56
S3	2	"6311215".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 11:16
S4	2	"6345300".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:31
S5	1085	(dynamic runtime) near10 (request\$5 order\$5 identify\$5 desir\$5) near10 (format election mode rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:40
S6	596	(dynamic runtime) near5 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:40
S7	596	(dynamic) near5 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:40
S8	368	(dynamic) near5 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:41

S9	211	(dynamic) near3 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:41
S10	168	(dynamic) near3 (request\$5 order\$5 identify\$5 desir\$5) near3 (format selection mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:12
S11	3406	((proxy content) near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:21
S12	0	((((proxy content) near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))) and ((configur\$5) near5 (browser)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:21
S13	342	((((proxy content) near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))) and ((configur\$5) near5 (browser)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:43
S14	34	((((proxy content) near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))) and ((configur\$5) adj (browser)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:21
S15	2626	((configur\$5) near5 (browser))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:43
S16	65	((((configur\$5) near5 (browser))) and ((transcod\$5) near10 (data content document)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:24
S17	2	"6421733".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 09:03
S18	550	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 07:40
S19	8	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and ((transcod\$5) near10 (data content document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:41
S20	2	"6321267".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:42
S21	2	"6134588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:44

S22	2	"6237031".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:45
S23	2	"6345303".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:51
S24	2	"6684257".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:51
S25	8	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice)and ((pressing near3 button) near6 (popup display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:09
S26	17	(browser (data adj deliver\$5)) near5 (option mode choice)and ((pressing near3 button) near6 (popup display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:16
S27	3	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and (transcod\$5 near5 (proxy server gateway))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:44
S28	47	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and ((transcod\$5 translat\$5) near5 (proxy server gateway))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:45
S29	8	(modify\$5 chang\$5 select\$5) near4 (browser (data adj deliver\$5)) near5 (exchang\$5 transfer\$5 transmit\$5) near5 (option mode choice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:11
S30	6	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and ((right near4 click\$5 near3 button) near6 (popup display manu context))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:26
S31	0	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and (multimodal) near10 (information document) near5 (retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:31
S32	2	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and (multi-modal) near10 (information document) near5 (retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:31

S33	42	((multi-modal) near10 (information document)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:31
S34	103	(modify\$5 chang\$5 select\$5) near5 (browser) near5 ((data adj deliver\$5) (data adj exchange) (interact\$5) (transfer\$5) (transmit\$5) (deliver\$5)) near5 (option mode choice selection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 07:45
S35	62	(modify\$5 chang\$5 select\$5) adj5 (browser) near5 ((data adj deliver\$5) (data adj exchange) (interact\$5) (transfer\$5) (transmit\$5) (deliver\$5)) near5 (option mode choice selection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:59
S36	1	(set\$7) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5)) near5 (option mode choice selection filter\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:02
S37	4	(set\$7) near10 (browser) near10 (parameter) near15 (protected secure brief trusted unsecure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:17
S38	2	"6029245".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:05
S39	111	(set\$7) near10 (browser) near25 (protected secure brief trusted unsecure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:18
S40	14	(set\$7 modify\$5 chang\$5 select\$5) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5) near5 (option mode choice selection filter\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 13:14
S41	19	((right near4 click\$5 near3 button) near6 (popup display manu context)) near15 (select\$5 choos\$5) near10 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:10
S42	100	((pressing near3 button) near6 (popup display)) near15 (select\$5 choos\$5) near10 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:10
S43	0	((pressing near3 button) near6 (popup display)) near15 (select\$5 choos\$5) near10 (browser) near5 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:10

S44	43	(browser) near5 (data) near5 (transfer\$5 exchange\$5) near10 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:36
S45	1	(browser) near5 (data) near5 (exchange\$5) near10 (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:37
S46	0	(data) near5 (exchange\$5) near10 (mode) same (protected and brief and trusted and annotated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:38
S47	0	(data) near5 (exchange\$5) near10 (mode) and (protected and brief and trusted and annotated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:38
S48	0	(data) near5 (exchange\$5 select\$5 modify\$5 transmit\$5 transfer\$5) near10 (mode) and (protected and brief and trusted and annotated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:39
S49	233	(data) near5 (exchange\$5 select\$5 modify\$5 transmit\$5 transfer\$5) near10 (mode) and ((protected secure)and: (annotated: brief) and trusted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:40
S50	0	"345"\$.ccls. and (set\$7 modify\$5 chang\$5 select\$5) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5) near5 (option mode choice selection filter\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 13:15
S51	5	"709"\$.ccls. and (set\$7 modify\$5 chang\$5 select\$5) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5) near5 (option mode choice selection filter\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 14:52
S52	2	"6008807".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 15:08
S53	2	"6421733".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 08:10
S54	0	("09774965") and Bracewell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:41

S55	0	("09774965") and (Bracewell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:42
S56	0	("09774965") and (2002/0103858)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:42
S57	0	(09/774965) and (2002/0103858)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:42
S58	1	(09/774965) and (Bracewell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:42
S59	2	"6008807".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 13:56
S60	0	(pop) near4 (text) near4 (box display) near4 (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 13:57
S61	151	(text) near4 (box display) near4 (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 13:58
S62	0	(press\$5 releas\$5) near4 (mouse near4 button) near10(text) near4 (box display) near4 (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:05
S63	4	(press\$5 releas\$5) near5 (mouse) near5 (left right) near5 (button) near10(box display) near4 (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:16
S64	0	(press\$5 releas\$5) near5 (mouse) near5 (left right) near5 (button) same (excel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:12
S65	9	(press\$5 releas\$5) same (left right) same (button) same (excel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:12
S66	4	(press\$5 releas\$5) near10 (mouse) near10 (left right) near10 (button) near10(box display) near10 (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:01
S68	75	(add\$5 set\$5 select\$5) near4 (favorites) near4 (browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 14:28



S69	1235	(press\$5 releas\$5) near10 (mouse) near10 (left right) near10 (button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:02
S70	86	(press\$5 releas\$5) near10 (mouse) near10 (left right) near10 (button) and (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:32
S71	1	709/217.ccls. and (press\$5 releas\$5) near10 (mouse) near10 (left right) near10 (button) and (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:33
S72	2	08/988347. and ferguson	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 10:33
S73	45	(add\$5 set\$5) near4 (favorites) near4 (browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 11:02
S74	0	(display) near4 (vicinity near5 cursor) near5 (press\$5) near5 (button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 11:03
S75	171	(display) near4 cursor near5 (press\$5) near5 (button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 11:08
S76	0	(pop) near5 (display) near4 cursor near5 (press\$5) near5 (button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 11:08
S77	2	"6438652".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 12:43
S78	289	(manag\$5 monitor\$5) near5 (rack) near5 (server unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:51
S79	367	(manag\$5 monitor\$5) near5 (rack) near5 (server unit component\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:52
S80	18	709/223,224.ccls. and (manag\$5 monitor\$5) near5 (rack) near5 (server unit component\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 10:08
S81	1	(lp) and (09/946442)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 10:08



S82	1769	(select\$5) near4 (data) near4 (exchang\$5 communication) near5 (mode connection transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:34
S83	317	(select\$5) near2 (data) near2 (exchang\$5 communication) near2 (mode connection transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:23
S84	1	(select\$5) near2 (data) near2 (exchang\$5 communication) near2 (mode connection transmission) same (protected trusted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:25
S85	1	(select\$5) near2 (data) near2 (exchang\$5 communication) near2 (mode connection transmission) same (cursor near4 (location position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:24
S86	2	(select\$5) near2 (data) near2 (exchang\$5 communication) near2 (mode connection transmission) and (cursor near4 (location position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:24
S87	5	(select\$5) near2 (data) near2 (exchang\$5 communication) near2 (mode connection transmission) and (protected trusted) near4 (mode connection transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:26
S88	0	(muti-modal) near5 (exchang\$5) same (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:27
S89	0	(muti-modal) near5 (retriev\$5) same (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:28
S90	0	(mutimodal) near5 (retriev\$5) same (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:28
S91	2	(modal) near5 (retriev\$5) same (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:28
S92	0	(select\$5) near4 (data) near4 (exchang\$5 communication) near5 (mode connection transmission) same (modal) near4 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:45

S93	0	(data) near4 (exchang\$5 communication) near5 (mode connection transmission) same (modal) near4 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:40
S94	2	(data) near4 (exchang\$5 communication) near5 (mode connection transmission) and (modal) near4 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:43
S95	1	(data) near4 (exchang\$5 communication) same (modal) near4 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:43
S96	0	(select\$5) near4 (data) near4 (exchang\$5 communication) same (modal) near4 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:45
S97	2	(modal) near4 (window) same (cursor) near4 (location position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:37
S98	2	"6272485".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:16
S99	2	"6311215".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:01
S10 0	426485	(modal) near4 (window) same (cursor) with (location position) same (region) with (inside outside within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:51
S10 1	0	(modal) near4 (window) same (cursor) with (location position) same (region) with (inside outside within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:52
S10 2	0	(modal) near4 (window) same (cursor) same (region) with (inside outside within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:52
S10 3	1331	(cursor) same (region) with (inside outside within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:52
S10 4	148	(determin\$5) near4 (cursor) same (region) with (inside outside within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 08:52

S10 5	30	("20010045949"   "20020118221"   "20030076344"   "4789962"   "4984152"   "5287448"   "5546521"   "5686937"   "5754176"   "5757358"   "5805165"   "5911067"   "5969705"   "5973688"   "5987454"   "5995101"   "6040817"   "6072486"   "6091395"   "6091415"   "6157363"   "6239796"   "6272485"   "6311215"   "6345300"   "6437800"   "6542163"   "6542164"   "6594696"   "6643824").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/03 09:18
S10 6	1	(modal) near4 (window) same (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:39
S10 7	0	(modal) near4 (window) near5 (display) near5 (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:39
S10 8	7	(modal) near4 (window) and (display) near5 (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:45
S10 9	0	(display pop-up) near4 (modal) near4 (window) near8 (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:45
S11 0	0	(display pop-up) near4 (modal) near4 (window) near8 (press\$5 select\$5 click\$5) near10 (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:46
S11 1	0	(display pop-up) near4 (modal) near4 (window) same (press\$5 select\$5 click\$5) near10 (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:46
S11 2	0	(modal) near4 (window) same (press\$5 select\$5 click\$5) near10 (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:46
S11 3	19	(modal) near4 (window) and (press\$5 select\$5 click\$5) near10 (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:46
S11 4	0	(modal) adj (window menu selection choice) near4 (hyperlink (hypertext adj link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:03
S11 5	0	(modal) adj (window menu selection choice) near4 (data near5 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:03
S11 6	0	(modal) adj (window menu selection choice) near4 (link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:03

S11 7	111	(modal) adj (window menu selection choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:26
S11 8	6	(modal) near4 (select\$5) near5 (link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:28
S11 9	23	(modal) near4 (select\$5) near5 (object request item)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:49
S12 0	0	(modal) near4 (select\$5) near5 (web: near2: page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:44
S12 1	0	(modal) near4 (select\$5) near5 (information data) near4 (deliver\$5 transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:44
S12 2	43932	(select\$5) near5 (information data) near4 (deliver\$5 transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:45
S12 3	23	(select\$5) near5 (information data) near4 (deliver\$5 transmit\$5) and (modal) near4 (information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:45
S12 4	0	(click\$5) near4 (modal) near4 (select\$5) near5 (object request item)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:51
S12 5	3	(click\$5) near4 (modal) near4 (select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:50
S12 6	0	(mouse) near4 (modal) near4 (select\$5) near5 (object request item)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:51
S12 8	52	(modal) near4 (select\$5) near5 (object request item data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:04
S12 9	2	(hyperlink (hypertext adj link)) same (cursor) near5 (control position release) near8 (mode exchange)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:06
S13 0	192	(hyperlink (hypertext adj link)) same (cursor) near5 (control position release)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:14

S13 1	4	715/700,711.ccls. and (hyperlink (hypertext adj link)) same (cursor) near5 (control position release)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:07
S13 2	0	(modal) near10 (hyperlink (hypertext adj link)) same (cursor) near5 (control position release)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:10
S13 3	0	(modeless) near10 (hyperlink (hypertext adj link)) same (cursor) near5 (control position release)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:10
S13 4	0	(modeless) near10 (hyperlink (hypertext adj link)) same (cursor) near5 (control position release)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:10
S13 5	28	(hyperlink (hypertext adj link)) same (modal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:22
S13 6	92	(trust\$5 protect\$5 brief\$5 secur\$5) same (multi-modal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:22
S13 7	93	(trust\$5 protect\$5 brief\$5 secur\$5) same (multi-modal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:24
S13 8	2	(transact\$5 near5 (mode)) same (multi-modal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:27
S13 9	0	(hyperlink near4 content) same (multi-modal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 11:27
S14 0	23	(modal) near4 (select\$5) near5 (object request item)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:06
S14 1	541	(modal) near4 (select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:48
S14 2	0	(modal) near4 (select\$5) same (cursor) near20 (postion location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:07
S14 3	8	(modal) near4 (select\$5) same (cursor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:07

S14 4	70	(modal) adj (select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:10
S14 5	6	(modal) near4 (select\$5) same (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:18
S14 6	2	(modal) near4 (select\$5) same (URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:16
S14 7	2	(modal) near4 (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:18
S14 8	0	(link\$5) near5 (modal) near4 (URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:18
S14 9	16	(modal) near4 (select\$5) near4 (communicat\$5 security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:21
S15 0	37	(display\$5) near5 (modal) near4 (select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:26
S15 1	2	"5675520".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:24
S15 2	2	"6649714".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:28
S15 3	15	(display\$5) near4 (internet) near6 (data transaction) near6 (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:32
S15 4	0	(display\$5) near4 (internet) near6 (exchange) near6 (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:44
S15 5	3	(display\$5) near4 (internet) near6 (exchange) near6 (method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:32
S15 6	8	(modal) near4 (select\$5) same (cursor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:34

S15 7	0	(modal) near4 (select\$5) same (region area) same (file hyper) same (text link reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:35
S15 8	77	(modal) near4 (select\$5) same (region area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:35
S15 9	33	(modal) near4 (select\$5) and (hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:38
S16 0	33	(modal) near4 (select\$5) and (hyperlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:38
S16 1	56	(display\$5) near4 (ptotected safe brief) near2 (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:45
S16 2	8	(modal) near4 (select\$5) same (data information file) near4 (transfer\$5 transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:52
S16 3	156	(modal) near4 (select\$5) and (data information file) near4 (transfer\$5 transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:53
S16 4	2	"6563514".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:19
S16 5	2	"6388665".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:20
S16 6	2	"6542163".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:20
S16 7	0	(display\$5) near5 (modal) near4 (security) near5 (level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:26
S16 8	1	(modal) near4 (security) near5 (level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:29
S16 9	8	(hyperlink) near4 (security) near5 (level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:27



S17 0	2	(modal) near4 (filter\$5) near5 (user client subscriber) near4 (information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 16:30
S17 1	9563	(select\$5 choos\$5) near4 (communication) near5 (mode connection transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:21
S17 2	545	(select\$5 choos\$5) adj (communication) adj (mode connection transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:22
S17 3	437	(select\$5) adj (communication) adj (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:28
S17 4	0	(choos\$5) adj (communication) adj (connection transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:22
S17 5	2	(select\$5) near3(per) near3 (communication session transaction)near3 (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:26
S17 6	1	09/805500	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:26
S17 7	0	(select\$5) adj (communication) adj (mode) same (secure unsecure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:33
S17 8	0	(select\$5) adj (transaction) adj (mode) same (secure unsecure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:33
S17 9	20	(select\$5) adj (transaction) adj (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:36
S18 0	19	(select\$5) adj (transaction) adj (method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:39

S18 1	3	(select\$5) adj (data information) adj (delivery) near3 (mode method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:42
S18 2	0	(compulsory mandatory forcful) near4 (select\$5) adj (data information) adj (delivery) near3 (mode method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:43
S18 3	0	(compulsory mandatory forcful) near4 (select\$5) adj (data information) near3 (mode method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:43
S18 4	1	(compulsory mandatory forcful) near4 (select\$5) near4 (data information) near5 (mode method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:43